

Class Title: JavaScript 1 Lecture #: 1

Chapter 1

Introduction to JavaScript

Adapted from
JavaScript: The Complete Reference 2nd and 3rd Editions
by
Thomas Powell & Fritz Schneider
© 2004 - 2012 Thomas Powell, Fritz Schneider, McGraw-Hill



Class Title: JavaScript 1 Lecture #: 1

Intro

- **JavaScript is premier client-side scripting language used in Web development**
 - Note especially in my definition
 - Client side (changed), Focus on web development, Scripting
 - Never limitations other than those self-imposed
- Highly misunderstood though increasingly popular
- Part of the client-side 'triangle' consisting of (X)HTML, CSS and of course JavaScript
 - Manipulation of mark-up and style via the *document object model* or DOM



Class Title: JavaScript 1 Lecture #: 1

First Look at JavaScript - Helloworld

```
<!DOCTYPE html>
<head>
<title>JavaScript Hello World</title>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8">
</head>
<body>
<h1>First JavaScript</h1>
<hr>
<script>
  document.write("Hello World from JavaScript!");
</script>
</body>
</html>
```



Class Title: JavaScript 1 Lecture #: 1

Helloworld Deconstructed

- **<script>** tag used to delimit the script code from the HTML
 - The script tag causes the browser's JavaScript interpreter to be invoked, the script run and any output produced
 - The browser is considered the "host" environment
 - There are other hosts for JavaScript and its variants
- The demo also shows how the script can write back out to the document in this case using the `document.write()` method



Class Title: JavaScript 1 Lecture #: 1

Helloworld Deconstructed

- The interplay between (X)HTML and JavaScript can be tricky at first

```
<script>
// Careful on tag and script intermixture
<strong>
document.write("Hello World from JavaScript!");
</strong>
</script>
```

- Instead you would do

```
<script>
document.write("<strong>Hello World from JavaScript!</strong>");
</script>
```

- or even

```
<strong>
<script>
document.write("Hello World from JavaScript! ");
</script>
</strong>
```



Class Title: JavaScript 1 Lecture #: 1

Being Aware of JavaScript's Silent Failures

- Most browsers will give minimal feedback that a JavaScript failure is occurring
 - Look in the lower left corner of the status bar in IE to double click on the warning icon
 - You may see in Mozilla browsers a status bar message like JavaScript errors occurred or similar
- Make sure you can turn on your browser's error reporting
 - IE (Tools > Internet Options > Advanced)
 - Mozilla (use javascript: URL or (Tools > JavaScript Console))
- A little homework: Browse the Web with JavaScript error reporting on



Class Title: JavaScript 1 Lecture #: 1

Adding Script to (X)HTML Documents

- There are four standard ways to include script in an (X)HTML document:
 - Within the **<script>** element
 - As a linked file via the **src** attribute of the **<script>** element
 - Within an (X)HTML event handler attribute such as **onclick**
 - Via the pseudo-URL javascript: syntax referenced by a link

Note: There may be other approaches but they are non-standard



Class Title: JavaScript 1 Lecture #: 1

The <script> tag

- The **<script>** tag (**<script> ... </script>**) in all major browsers interprets contents as JavaScript unless one of the following occurs:
 - Inclusion of language attribute
 - `<script language="VBScript"> ... </script>`
 - Inclusion of type attribute
 - `<script type="text/javascript"> ... </script>`
 - The **type** attribute is W3C recommended, **language** more common and in many ways more useful
 - Be careful of Mime types like `application/javascript`
- Note: A <meta> tag can also be used to set the script language document wide or even by a Web server.*
 - `<meta http-equiv="Content-Script-Type" content="text/javascript" />`



Class Title: JavaScript 1 Lecture #: 1

Using the <script> Tag

- You can use as many **<script>** tags as you like in both the **<head>** and **<body>** and they are executed sequentially though network and threading issues can occur – consider the environment!

```

<h1>Ready start</h1>
<script>
  alert("First Script Ran");
</script>
<h2>Running...</h2>
<script>
  alert("Second Script Ran");
</script>
<h2>Keep running</h2>
<script>
  alert("Third Script Ran");
</script>
</h1>Stop!</h1>
  
```



Class Title: JavaScript 1 Lecture #: 1

<script> Tag in the <head>

- Given top-down read (and execution) often script is found in the <head> of an (X)HTML document

```

<!DOCTYPE html>
<html>
<head>
<title>JavaScript in the Head</title>
<meta http-equiv="content-type" content="text/html; charset=utf-8">
<script>
function alertTest() {
  alert("Danger! Danger! JavaScript Ahead");
}
</script>
</head>
<body>
<h2>Script in the Head</h2>
<hr>
<script>
  alertTest();
</script>
</body>
</html>

```

UCSD EXTENSION

Class Title: JavaScript 1 Lecture #: 1

Script masking and <noscript>

- Script Hiding using HTML and JavaScript comments


```

<script>
<!--
  put your JavaScript here
-->
</script>

```

 - Avoids printing script onscreen in non-script aware browsers
- <noscript> Element
 - Useful to provide alternative rendering in browsers that have script off or don't support script


```

<noscript>
  <strong>Either your browser does not support
    JavaScript or it is currently disabled.</strong>
</noscript>

```

 - The next example shows a great way to keep non-JavaScript aware users out of your site

UCSD EXTENSION

Class Title: JavaScript 1 Lecture #: 1

Script masking and <noscript>

```

<!DOCTYPE html>
<head>
<title>JavaScript Masked with noscript Too!</title>
<meta http-equiv="content-type" content="text/html; charset=utf-8">
</head>
<body>
<script>
<!--
  document.write("Congratulations! If you see this you have
    JavaScript.");
-->
</script>
<noscript>
<h1 class="errorMsg">JavaScript required</h1>
<p>Read how to <a href="/errors/noscript.html">rectify this problem</a></p>
</noscript>
</body>
</html>

```

UCSD EXTENSION

Class Title: JavaScript 1 Lecture #: 1

Meta Refresh Trick with <noscript>

- Change the <head> to contain a meta refresh to automatically redirect the user to an error page if the script is off
- Copy this into every page into your site and you can improve the chances users have script on

```
<!DOCTYPE html>
<html>
<head>
<title>Needs JavaScript</title>
<meta http-equiv="content-type" content="text/html; charset=utf-8">
<noscript>
<meta http-equiv="Refresh" content="0;URL=/errors/noscript.html">
</noscript>
</head>
```

- Downsides
 - Consider non-script aware bots
 - Likely won't validate

UCSD EXTENSION

Class Title: JavaScript 1 Lecture #: 1

Script Hiding Notes

- Markup aficionados are concerned about script hiding using HTML comments. See http://www.w3.org/TR/xhtml1/#C_4
- If you care about this don't do

```
<script>
<![CDATA [
document.write("Congratulations! You have JavaScript.");
]]>
</script>
```

- Instead try

```
<script>
/* <![CDATA[ */
document.write("Congratulations! You have JavaScript.");
/* ]]> */
</script>
```

UCSD EXTENSION

Class Title: JavaScript 1 Lecture #: 1

Event Handlers

- ~~X~~HTML defines a set of event handler attributes related to JavaScript events such as **onclick**, **onmouseover**, etc. which you can bind JavaScript statements to.

```
<!DOCTYPE html>
<html>
<head>
<title>JavaScript Events</title>
<meta http-equiv="content-type" content="text/html; charset=utf-8">
</head>
<body onload="alert('page loaded');">
<form action="#" method="get">
<div id="formfields">
<input type="button" value="press me"
onclick="alert('You pressed my button!');">
</div>
</form>
<p><a href="http://www.yahoo.com" onmouseover="alert('hl');">Yahoo!</a></p>
</body>
</html>
```

UCSD EXTENSION

Class Title: JavaScript 1 Lecture #: 1

Linked Scripts

- Like linked style sheets you can store JavaScript code in a separate file and reference it
 - Use a .js file
 - Contains only JavaScript
 - Store these files like images in a common directory in your site (e.g. /scripts)
 - Linked scripts can be cached and “clean up” (X)HTML documents
 - Linked scripts can have problems in certain network or browser situations

UCSD EXTENSION

Class Title: JavaScript 1 Lecture #: 1

Linked Script Example

```

<!DOCTYPE html>
<head>
<title>Linked Script</title>
<meta http-equiv="content-type" content="text/html; charset=utf-8">
<script src="danger.js"></script>
</head>
<body>
<form action="#" method="get" id="form1">
  <div id="formfields">
    <input type="button" name="button1" id="button1" value="press me" onclick="alertTest();">
  </div>
</form>
</body>
</html>

```

UCSD EXTENSION

Class Title: JavaScript 1 Lecture #: 1

Linked Script Example Contd.

- In file danger.js you would have simply have code like

```

function alertTest( ) {
  alert("Danger! Danger!");
}

```

UCSD EXTENSION

Class Title: JavaScript 1 Lecture #: 1

Fully Decoupled Script Example 1

```
<!DOCTYPE html>
<html>
<head>
<title>Linked Script</title>
<meta http-equiv="content-type" content="text/html; charset=utf-8">
<script src="danger.js"></script>
</head>
<body>
<form action="#" method="get">
  <input type="button" id="button1" value="press me">
</form>
<script src="events.js"></script>
</body>
</html>
```

- In the file events.js we have


```
document.getElementById('button1').onclick=function ()
{ alertTest(); }
```

UCSD EXTENSION

Class Title: JavaScript 1 Lecture #: 1

Multiple Linked <script> Tags

- Commonly developers reference multiple JS files separately


```
<script src="lib1.js"></script>
<script src="lib2.js"></script>
```
- It is questionable the value of this practice
 - Round trip times
 - Load order concerns
 - Sharing same name space
- Idea


```
<script src="alllibs.js"></script>
```

 - Code organization and caching is cited instead but analysis of both claims is specious at best
 - "Code for yourself – prep for delivery"

UCSD EXTENSION

Class Title: JavaScript 1 Lecture #: 1

Fully Decoupled Script Example 2

```
<!DOCTYPE html>
<html>
<head>
<title>Linked Script</title>
<meta http-equiv="content-type" content="text/html; charset=utf-8">
<script src="combined.js"></script>
</head>
<body>
<form action="#" method="get">
  <input type="button" id="button1" value="press me">
</form>
</body>
</html>
```

- Since it would be better to combine the two scripts together we need to address load order issues

UCSD EXTENSION

Class Title: JavaScript 1 Lecture #: 1

Fully Decoupled Script Example 2 Contd.

```

/*combined.js*/
function alertTest() {
  alert("Danger! Danger!");
}
window.onload = function () {
  document.getElementById('button1').onclick=
  function () { alertTest(); }
}

```

UCSD EXTENSION

Class Title: JavaScript 1 Lecture #: 1

JavaScript Pseudo-URLs

- You can use the JavaScript pseudo-URL to trigger a script statements
 - For example


```
<a href="javascript: alert('hi');">Click me</a>
```
- You can also type such a URL directly in the browser's location box, for example


```
javascript:alert(5*5)
```
- Be aware that JavaScript pseudo-URLs do not degrade well in non-JavaScript aware situations
 - Question: What happens with script off here?

UCSD EXTENSION

Class Title: JavaScript 1 Lecture #: 1

Other JavaScript Inclusion Methods

- There are a few other ways (some sneaky) to include JavaScript in a Web page the most notable being the JavaScript entity supported by Netscape 4.x generation browsers
 - This method uses a standard HTML character entity in a macro style manner


```
&{script};
```
- You shouldn't use any other forms of script inclusion since they are likely not supported or may have other concerns

UCSD EXTENSION

Class Title: JavaScript 1 Lecture #: 1

Defensive Coding 101

- If our script is going to play nicely on the Web we must be very defensive
 - Don't bash and watch out for being bashed!
- Encapsulate code and assume the worst is a good idea
- Potential Concerns
 - Variable and Function name conflicts
 - Load order and network concerns
 - Catastrophic errors thrown without handling
 - Event rebinding
 - Browser quirks!

UCSD EXTENSION

Class Title: JavaScript 1 Lecture #: 1

Defensive Coding 101

- Variable Collision
 - Code in browser based JavaScript shares the same namespace.
 - If you define a variable say `num` and later on a script goes and does the same their `num` will overwrite yours. The reverse can also happen.
 - You must avoid global variables that may be bashed


```
var num = 5; // bad idea!
```
 - Stemming


```
var JSREF_num = 5;
```
 - Object Wrapper


```
var JSREF = { };
JSREF.num = 5;
```

UCSD EXTENSION

Class Title: JavaScript 1 Lecture #: 1

Defensive Coding 101

- Event Collision
 - Depending on how events are added it is also possible to overwrite and existing event handler.

```
window.onload = function () {
  /* going to bash an existing one */
}
```
- Safe Loader Code


```
var JSREF = { };
JSREF.addLoadEvent =
function(newFunction) {
  var oldFunction = window.onload;
  if (typeof window.onload != "function") (window.onload = newFunction; )
  else { window.onload = function () {
    if (oldFunction) { oldFunction(); }
    newFunction();
  };
}
```

UCSD EXTENSION

Class Title: JavaScript 1 Lecture #: 1

Safe and Sane (and Wordy)

```

/*safecombined.js*/
var JSREF = {};
JSREF.addLoadEvent =
  function(newFunction) { /* see other slide */ }
JSREF.alertTest = function () { alert("Danger!
  Danger!"); };

JSREF.bindEvents = function ()
{document.getElementById('button1').onclick=
  function () { JSREF.alertTest(); } };
/* still trouble above */

JSREF.addLoadEvent(JSREF.bindEvents);
    
```

UCSD EXTENSION

Class Title: JavaScript 1 Lecture #: 1

History of JavaScript

- JavaScript first introduced in 1995
 - Invented by Netscape
 - Originally called LiveScript
 - Renamed JavaScript when first beta in Netscape 2
 - Not really related to Java
 - The ideas of DHTML and Ajax add even more confusion
 - Used both client and server-side and within and outside of browsers
- Microsoft supports clone of JavaScript called JScript
 - First introduced in Internet Explorer 3
- Standards oriented JavaScript called ECMAScript

UCSD EXTENSION

Class Title: JavaScript 1 Lecture #: 1

JavaScript Versions

Browser Version	JavaScript Version
Netscape 2.x	1.0
Netscape 3.x	1.1
Netscape 4.0 - 4.05	1.2
Netscape 4.06 - 4.7x	1.3
Netscape 6.x, Mozilla 0.9	1.5
Firefox 1.5	1.6
Firefox 2.0	1.7
Firefox 3.0	1.8
Firefox 3.5	1.8.1
Internet Explorer 3.x	JScript 1.0
Internet Explorer 4.x	JScript 3.0
Internet Explorer 5.x	JScript 5.0
Internet Explorer 5.5	JScript 5.5
Internet Explorer 6.x	JScript 5.6
Internet Explorer 7.x	Jscript 5.6 + Native XMLHttpRequest (or 5.7 under Vista)
Internet Explorer 8.x	Jscript 5.8 (or 8.0?) + smattering of HTML5ish stuff

UCSD EXTENSION

Class Title: JavaScript 1 Lecture #: 1

JavaScript Applications

- Common uses of JavaScript include:
 - Form validation
 - Page embellishments and special effects
 - Navigation systems
 - Basic Math calculations
 - Dynamic content manipulation
- Really isn't any particular limit to what it can do, it's a regular PL
 - Demos
- The interplay between JavaScript other Web techs can produce powerful results

UCSD EXTENSION

Class Title: JavaScript 1 Lecture #: 1

JavaScript, (X)HTML, and CSS Link

- JavaScript very much relies on markup and CSS in browsers, in fact it manipulates objects that are created by the **correct** use of tags and style properties
- For example, the **document** object contains objects and collections corresponding to many of the tags in the (X)HTML document.
 - document.forms[], document.images[], document.links[], etc.
 - We can always jump directly to the object using something like document.getElementById() under a DOM compliant browser

UCSD EXTENSION

Class Title: JavaScript 1 Lecture #: 1

Simple Example 1 of Interplay

```
<!DOCTYPE html>
<html>
<head>
<title>Simple DOM Example</title>
<meta http-equiv="content-type" content="text/html; charset=utf-8">
<script>
function showField() {
    alert(document.form1.field1.value);
}
</script>
</head>
<body>
<form action="#" method="get" id="form1" name="form1">
  <input type="text" name="field1" id="field1">
  <input type="button" name="button1" id="button1" value="press me" onclick="showField();">
</form>
</body>
</html>
```

UCSD EXTENSION

Class Title: JavaScript 1 Lecture #: 1

Simple Example 2 of Interplay

```
<!DOCTYPE html>
<html>
<head>
<title>Simple DOM Example #2</title>
<meta http-equiv="content-type" content="text/html; charset=utf-8">
</head>
<body>
<p id="p1" style="color: red;">Hello there</p>
<form>
<input type="button" value="left"
onclick="document.getElementById('p1').align='left';">
<input type="button" value="center"
onclick="document.getElementById('p1').align='center';">
<input type="button" value="right"
onclick="document.getElementById('p1').align='right';"><br><br>
<input type="button" value="red"
onclick="document.getElementById('p1').style.color='red';">
<input type="button" value="blue"
onclick="document.getElementById('p1').style.color='blue';"><br><br>
<input type="button" value="Big"
onclick="document.getElementById('p1').style.fontSize='xx-large';">
<input type="button" value="Small"
onclick="document.getElementById('p1').style.fontSize='xx-small';">
</form>
</body>
</html>
```

UCSD EXTENSION

Class Title: JavaScript 1 Lecture #: 1

Conclusions

- JavaScript is a full blown Web programming language
- It is not related to Java in more than name
- It intersects with XHTML through `<script>`, linked scripts (.js files), and attributes for event handling (`onclick`)
- It has evolved over time
- It has many browser compatibility issues to worry about

UCSD EXTENSION
